XPS 13 9310

Setup and Specifications



Notes, cautions, and warnings

(i) NOTE: A NOTE indicates important information that helps you make better use of your product.

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

MARNING: A WARNING indicates a potential for property damage, personal injury, or death.

© 2020 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

Contents

Chapter 2: Views of XPS 13 9310	6
Front	6
Left	6
Right	7
Base	7
Display	8
Bottom	9
Chapter 3: Specifications of XPS 13 9310	10
Dimensions and weight	10
Processor	10
Chipset	11
Operating system	11
Memory	11
Internal slots	12
External ports	12
Wireless module	12
Audio	13
Storage	13
Media-card reader	14
Keyboard	14
Camera	15
Touchpad	15
Power adapter	16
Battery	16
Display	17
Fingerprint reader	18
GPU—Integrated	
Operating and storage environment	18
Chapter 4: Dell low blue light display	
Chapter 5: Keyboard shortcuts of XPS 13 9310	20
Chanter 6: Getting help and contacting Dell	22

Set up your XPS 13 9310

- (i) NOTE: The images in this document may differ from your computer, depending on the computer configuration you ordered.
- 1. Connect the power adapter to a power source and to the Thunderbolt 4 USB Type-C port with Power Delivery. Then press the power button on your computer.



- NOTE: The battery may go into power-saving mode during shipment to conserve charge on the battery. Ensure that the power adapter is connected to your computer when it is turned on for the first time.
- 2. Complete the operating system setup.

Table 1. Operating system setup

Operating system	Setup instructions
Windows	Follow the on-screen instructions to complete the setup. When setting up, it is recommended that you connect to a secure network to download and install the latest Windows updates.
Ubuntu	Follow the on-screen instructions to complete the setup. For more information about installing and configuring Ubuntu, see the knowledge base articles SLN151664 and SLN151748 at www.dell.com/support.

- 3. If Windows is installed on your computer, there are Dell apps with which you can get assistance and software updates.
 - i NOTE: Dell apps are not available on Ubuntu.

Table 2. Dell apps


Dell app	Description
Death	My Dell

Table 2. Dell apps (continued)

Dell app	Description
	Access Dell applications, help articles, and other important information about your computer. My Dell also notifies you about the warranty status, recommended accessories, and software updates for your computer.
	SupportAssist
~	Pro-actively checks the health of your computer's hardware and software and troubleshoots issues with the operating system. For more information about the app, see the SupportAssist documentation at www.dell.com/support.
	(i) NOTE: To renew or upgrade your warranty in the SupportAssist app, click the warranty expiry date.
	Dell Update
40	Updates your computer with critical fixes and latest device drivers. For more information about the app, see the knowledge base article SLN305843 at www.dell.com/support.
	Dell Digital Delivery
	Download software applications, which are purchased but not pre-installed on your computer. For more information about the app, see the knowledge base article 153764 at www.dell.com/support.

Views of XPS 13 9310

Front



1. Microphones (2)

Provide digital sound input for audio recording, voice calls, and so on.

2. Power and battery-status light

Indicates the power state and battery state of the computer.

Solid white—Power adapter is connected and the battery is charging.

Solid amber—Battery charge is low or critical.

Off—Battery is fully charged.

NOTE: On certain computer models, the power and battery-status light is also used for diagnostics. For more information, see the *Troubleshooting* section in your computer's *Service Manual*.

Left



1. Thunderbolt 4 USB Type-C port with Power Delivery

Supports USB4 Gen 3 Type-C, DisplayPort 2.0, Thunderbolt 4 and also enables you to connect to an external display using a display adapter. Provides data transfer rates of up to 20 Gbps for USB4 Gen 3 and up to 40 Gbps for Thunderbolt 4. Supports Power Delivery that enables two-way power supply between devices. Provides up to 5 V/3 A power output that enables faster charging.

- NOTE: You can connect a Dell Docking Station to the Thunderbolt 4 ports. For more information, see the knowledge base article SLN286158 at www.dell.com/support.
- NOTE: There is a total of two Thunderbolt 4 ports on this computer. Connect the USB Type-C power adapter to only one of the two USB Type-C ports.
- i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

2. microSD-card slot

Reads from and writes to the microSD card. Your computer supports the following card types:

microSecure Digital (microSD)

- microSecure Digital High Capacity (microSDHC)
- microSecure Digital Extended Capacity (microSDXC)

Right



1. Thunderbolt 4 USB Type-C port with Power Delivery

Supports USB4 Gen 3 Type-C, DisplayPort 2.0, Thunderbolt 4 and also enables you to connect to an external display using a display adapter. Provides data transfer rates of up to 20 Gbps for USB4 Gen 3 and up to 40 Gbps for Thunderbolt 4. Supports Power Delivery that enables two-way power supply between devices. Provides up to 5 V/3 A power output that enables faster charging.

- NOTE: You can connect a Dell Docking Station to the Thunderbolt 4 ports. For more information, see the knowledge base article SLN286158 at www.dell.com/support.
- NOTE: There is a total of two Thunderbolt 4 ports on this computer. Connect the USB Type-C power adapter to only one of the two USB Type-C ports.
- (i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

2. Headset port

Connect headphones or a headset (headphone and microphone combo).

Base



1. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two finger tap to right-click.

2. Left-click area

Press to left-click.

3. Right-click area

Press to right-click.

4. Power button with fingerprint reader

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 10 seconds to force shut-down the computer.

Place your finger on the power button to log-in with the fingerprint reader.

NOTE: You can customize power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

Display



1. Infrared emitter

Emits infrared light, which enables the infrared camera to sense and track motion.

2. Ambient-light sensor

Detects the ambient light and automatically adjusts the keyboard backlight and display brightness.

3. RGB and infrared camera

Enables you to video chat, capture photos, and record videos in RGB and infrared.

4. Camera-status light

Turns on when the camera is in use.

5. Infrared emitter

Emits infrared light, which enables the infrared camera to sense and track motion.

Bottom



1. Left speaker

Provides audio output.

2. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

3. Right speaker

Provides audio output.

Specifications of XPS 13 9310

Dimensions and weight

The following table lists the height, width, depth, and weight of your XPS 13 9310.

Table 3. Dimensions and weight

Description	Values
Height:	14.80 mm (0.58 in.)
Width	295.70 mm (11.64 in.)
Depth	198.70 mm (7.82 in.)
Starting weight	 Non-touch: 1.20 kg (2.64 lb) Touch: 1.27 kg (2.80 lb) NOTE: The weight of your computer depends on the configuration ordered and manufacturing variability.

Processor

The following table lists the details of the processors supported by your XPS 13 9310.

Table 4. Processor

Description	Option one	Option two	Option three
Processor type	11 th Generation Intel Core i3-1115G4 processor	11 th Generation Intel Core i5-1135G7 processor	11 th Generation Intel Core i7-1165G7 processor
Processor wattage	15 W	15 W	15 W
Processor core count	2	4	4
Processor thread count	4	8	8
Processor speed	Up to 4.10 GHz	Up to 4.20 GHz	Up to 4.70 GHz
Processor cache	6 MB	8 MB	12 MB
Integrated graphics	Intel UHD Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics

Chipset

The following table lists the details of the chipset supported by your XPS 13 9310.

Table 5. Chipset

Description	Values
Chipset	Integrated in the processor
Processor	11 th Generation Intel Core i3/i5/i7
DRAM bus width	128 bit
Flash EPROM	32 MB (BIOS)
PCle bus	Up to PCle Gen 4.0 (Storage)

Operating system

Your XPS 13 9310 supports the following operating systems:

- Windows 10 Home (64-bit)
- Windows 10 Pro (64-bit)
- Windows 10 Pro Education (64-bit)
- Windows 10 Enterprise Ready
- Ubuntu 18.04 LTS (64-bit)

Memory

The following table lists the memory specifications of your XPS 13 9310.

Table 6. Memory specifications

Description	Values	
Memory slots	No memory slots i NOTE: The memory module is integrated on the system board.	
Memory type	LPDDR4x	
Memory speed	4267 MHz	
Maximum memory configuration	32 GB	
Minimum memory configuration	8 GB	
Memory configurations supported	 8 GB (4 x 2 GB) LPDDR4x at 4267 MHz 16 GB (4 x 4 GB) LPDDR4x at 4267 MHz 32 GB (4 x 8 GB) LPDDR4x at 4267 MHz 	

Internal slots

The following table lists the internal slots of your XPS 13 9310.

Table 7. Internal slots

Description	Values	
M.2	One M.2 2230 or M.2 2280 slot for solid-state drive	
	NOTE: To learn more about the features of different types of M.2 cards, see the knowledge base article SLN301626 at www.dell.com/support.	

External ports

The following table lists the external ports on your XPS 13 9310.

Table 8. External ports

Description	Values	
USB ports	Two Thunderbolt 4 USB Type-C ports with Power Delivery (i) NOTE: Connect the USB Type-C power adapter to only one of the four USB Type-C ports. (i) NOTE: You can connect a Dell Docking Station to this port. For more information, see the knowledge base article SLN286158 at www.dell.com/support.	
Audio port	One headset (headphone and microphone combo) port	
Video port	Two Thunderbolt 4 USB Type-C ports with Power Delivery i NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.	
Media-card reader	One microSD-card slot	
Docking port	Supported through one of the two Thunderbolt 4 USB Type-C port with Power Delivery	
Power-adapter port	DC-IN through one of the two USB Type-C Thunderbolt 4 ports (i) NOTE: You can connect a Dell Docking Station to this port. For more information, see the knowledge base article SLN286158 at www.dell.com/support.	
Security	Not supported	

Wireless module

The following table lists the Wireless Local Area Network (WLAN) module specifications of your XPS 13 9310.

(i) NOTE: The wireless module is integrated on the system board.

Table 9. Wireless module specifications

Description	Option one	Option two
Model number	Intel AX1650	Rivet Killer AX500-DBS
Transfer rate	Up to 2400 Mbps	Up to 1774 Mbps
Frequency bands supported	2.4 GHz/5 GHz	2.4 GHz/5 GHz
Wireless standards	 WiFi 802.11a/b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) Wi-Fi 6 (WiFi 802.11ax) 	 WiFi 802.11a/b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) Wi-Fi 6 (WiFi 802.11ax)
Encryption	64-bit/128-bit WEPAES-CCMPTKIP	64-bit/128-bit WEPAES-CCMPTKIP
Bluetooth	Bluetooth 5.1	Bluetooth 5.1

Audio

The following table lists the audio specifications of your XPS 13 9310.

Table 10. Audio specifications

Description		Values	
Audio controller		Realtek ALC3281-CG	
Stereo conversion		Supported	
Internal audio interface		High-definition audio interface	
External audio interface		Universal audio jack	
Number of speakers		Two	
Internal-speaker amplifier		Supported	
External volume controls		Keyboard shortcut controls	
Speaker output:			
Aver	age speaker output	2 W	
Peak	speaker output	2.5 W	
Subwoofer output		Not supported	
Microphone		Digital-array microphones	

Storage

This section lists the storage options on your XPS 13 9310.

Your XPS 13 9310 supports one of the following storage options:

• One M.2 2230 solid-state drive

• One M.2 2280 solid-state drive

Table 11. Storage specifications

Storage type	Interface type	Capacity
M.2 2230 solid-state drive	PCle Gen3 x4 NVMe, up to 32 Gbps	Up to 256 GB
M.2 2280 solid-state drive	PCle Gen3 x4 NVMe, up to 32 Gbps	Up to 2 TB

Media-card reader

The following table lists the media cards supported by your XPS 13 9310.

Table 12. Media-card reader specifications

Description	Values
Media-card type	One microSD-card slot
Media-cards supported	 microSecure Digital (mSD) microSecure Digital High Capacity (mSDHC) microSecure Digital Extended Capacity (mSDXC)
(i) NOTE: The maximum capacity supported by the media-card reader varies depending on the standard of the media card	

installed in your computer.

Keyboard

The following table lists the keyboard specifications of your XPS 13 9310.

Table 13. Keyboard specifications

Description	Values	
Keyboard type	Standard backlit keyboard	
Keyboard layout	QWERTY	
Number of keys	United States and Canada: 79 keysUnited Kingdom: 80 keysJapan: 83 keys	
Keyboard size	X = 19.05 mm key pitch Y = 18.05 mm key pitch	
Keyboard shortcuts	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character press Shift and the desired key. To perform secondary functions, press Fn and the desired key. (i) NOTE: You can define the primary behavior of the function keys (F1–F12) changing Function Key Behavion in BIOS setup program. For more information, see Keyboard shortcuts.	

Camera

The following table lists the camera specifications of your XPS 13 9310.

Table 14. Camera specifications

Des	cription	Values	
Num	ber of cameras	One	
Cam	era type	RGB and infrared HD camera	
Cam	era location	Front	
Cam	era sensor type	CMOS-sensor technology	
Cam	era resolution:		
	Still image	0.92 megapixel	
	Video	1280 x 720 (HD) at 30 fps	
Infra	ared camera resolution:		
	Still image	640 x 360	
	Video	640 x 360 (HD) at 15 fps	
Diagonal viewing angle:			
	Camera	77.7 degrees	
	Infrared camera	77.7 degrees	

NOTE: The IR camera may not support Microsoft Hello features.

Touchpad

The following table lists the touchpad specifications of your XPS 13 9310.

Table 15. Touchpad specifications

Description	Values	
Touchpad resolution:		
Horizontal	1300	
Vertical	722	
Touchpad dimensions:		
Horizontal	112.30 mm (4.42 in.)	
Vertical	64.15 mm (2.53 in.)	
Touchpad gestures	For more information about touchpad gestures available on Windows 10, see the Microsoft knowledge base article 4027871 at support.microsoft.com.	

Power adapter

The following table lists the power adapter specifications of your XPS 13 9310.

Table 16. Power adapter specifications

Description		Values	
Туре		45 W (USB Type-C)	
Input voltage		100 VAC-240 VAC	
Input fre	equency	50 Hz-60 Hz	
Input cu	rrent (maximum)	1.30 A	
Output	current (continuous)	2.25 A	
Rated o	utput voltage	20 VDC	
Tempera	ature range:		
Operating		0°C to 40°C (32°F to 104°F)	
Storage		-40°C to 70°C (-40°F to 158°F)	

Battery

The following table lists the battery specifications of your XPS 13 9310.

Table 17. Battery specifications

Description	Values	
Battery type	4-cell 52 WHr "smart" lithium-ion	
Battery voltage	7.60 VDC	
Battery weight (maximum)	0.22 kg (0.49 lb)	
Battery dimensions:		
Height	98.60 mm (3.88 in.)	
Width	255.80 mm (10.07 in.)	
Depth	4.30 mm (0.17 in.)	
Temperature range:		
Operating	0°C to 45°C (32°F to 113°F)	
Storage	-20°C to 65°C (-4°F to 149°F)	
Battery operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	
Battery charging time (approximate) NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manager application.	 Express charging: 2 hours (when the computer is off) Standard charging: 3 hours (when the computer is off) 	

Table 17. Battery specifications (continued)

Description	Values
For more information on the Dell Power Manager see, Me and My Dell on www.dell.com/	
Coin-cell battery	Not applicable

Display

The following table lists the display specifications of your XPS 13 9310.

Table 18. Display specifications

Descript	ion	Option one	Option two	Option three
Display ty	/pe	Ultra High Definition (UHD+)	Full High Definition (FHD+)	Full High Definition (FHD+)
Display-p	anel technology	Wide-Viewing Angle (WVA)	Wide-Viewing Angle (WVA)	Wide-Viewing Angle (WVA)
Display-p (active ar	anel dimensions ea):			
	Height	288 mm (11.34 in.)	288 mm (11.34 in.)	288 mm (11.34 in.)
	Width	180 mm (7.09 in.)	180 mm (7.09 in.)	180 mm (7.09 in.)
	Diagonal	339.60 mm (13.37 in.)	339.60 mm (13.37 in.)	339.60 mm (13.37 in.)
Display-p	anel native n	3840 x 2400	1920 x 1200	1920 x 1200
Luminanc	e (typical)	500 nits	500 nits	500 nits
Megapixe	els	9.216	2.304	2.304
Color gan	nut	DCI-P3 90% (typical)	sRGB 100%	sRGB
Pixels Per	r Inch (PPI)	338.67	169.3	169.3
Contrast	ratio (typ)	1200:1	1200:1	1200:1
Response	e time (max)	35 ms	35 ms	35 ms
Refresh r	ate	60 Hz	60 Hz	60 Hz
Horizonta	al view angle	+/- 85 degrees	+/- 85 degrees	+/- 85 degrees
Vertical v	riew angle	+/- 85 degrees	+/- 85 degrees	+/- 85 degrees
Pixel pitc	h	0.08 mm	0.15 mm	0.15 mm
Power co	nsumption n)	6.60 W	2.90 W	2.90 W
Anti-glare	e vs glossy finish	Anti-reflective	Anti-reflective	Anti-reflective
Touch op	tions	Yes	Yes	No

Fingerprint reader

The following table lists the fingerprint-reader specifications of your XPS 13 9310.

i NOTE: The fingerprint reader is located on the power button.

Table 19. Fingerprint reader specifications

Description	Values
Fingerprint-reader sensor technology	Capacitive
Fingerprint-reader sensor resolution	500 PPI
Fingerprint-reader sensor pixel size	64 x 80

GPU—Integrated

The following table lists the specifications of the integrated Graphics Processing Unit (GPU) supported by your XPS 13 9310.

Table 20. GPU—Integrated

Controller	External display support	Memory size	Processor
Intel UHD Graphics	USB Type-C to DisplayPort adapter (sold separately)	Shared system memory	11 th Generation Intel Core i3
Intel Iris Xe Graphics	USB Type-C to DisplayPort adapter (sold separately)	Shared system memory	11 th Generation Intel Core i5/i7

Operating and storage environment

This table lists the operating and storage specifications of your XPS 13 9310.

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 21. Computer environment

Description	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G†	160 G†
Altitude range	-15.2 m to 3048 m (-49.87 ft to 10,000 ft)	-15.2 m to 10668 m (-49.87 ft to 35,000 ft)

^{*} Measured using a random vibration spectrum that simulates user environment.

 $[\]dagger$ Measured using a 2 ms half-sine pulse when the hard drive is in use.

Dell low blue light display

WARNING: Prolonged exposure to blue light from the display may lead to long-term effects such as eye strain, eye fatigue, or damage to the eyes.

Blue light is a color in the light spectrum which has a short wavelength and high energy. Chronic exposure to blue light, particularly from digital sources, may disrupt sleep patterns and cause long-term effects such as eye strain, eye fatigue, or damage to the eyes.

The display on this computer is designed to minimize blue light and complies with TÜV Rheinland's requirement for low blue light displays.

Low blue light mode is enabled at the factory, so no further configuration is necessary.

To reduce the risk of eye strain, it is also recommended that you:

- Position the display at a comfortable viewing distance between 20 and 28 inches (50 and 70 cm) from your eyes.
- Blink frequently to moisten your eyes, wet your eyes with water, or apply suitable eye drops.
- Look away from your display, and gaze at a distant object at 20 ft (609.60 cm) away for at least 20 seconds during each break.
- Take an extended break for 20 minutes every two hours.

Keyboard shortcuts of XPS 13 9310

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press shift and the key, the symbol shown on the upper part of the key is typed out. For example, if you press **2**, **2** is typed out; if you press **Shift** + **2**, **@** is typed out.

The keys **F1-F12** at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing **F1** mutes the audio (refer to the table below).

However, if the function keys F1-F12 are needed for specific software applications, multi-media functionality can be disabled by pressing fn + esc. Subsequently, multimedia control can be invoked by pressing fn and the respective function key. For example, mute audio by pressing fn + F1.

NOTE: You can also define the primary behavior of the function keys (F1-F12) by changing Function Key Behavior in BIOS setup program.

Table 22. List of keyboard shortcuts

Function key	Redefined key (for multimedia control)	Behavior
Ľ√× F1	fn + □ □ × F1	Mute audio
	fn + \(\(\cdrt{\cdrt} \) \(\text{F2} \)	Decrease volume
□ ") F3	fn + □□» F3	Increase volume
DII F4	+ □ ▷	Play/Pause
F5	fn + ' ' ' F5	Toggle keyboard backlight
- ; ¢;- F6	+ ;	Decrease brightness
F7	fn + ♣ → F7	Increase brightness

Table 22. List of keyboard shortcuts (continued)

Function key	Redefined key (for multimedia control)	Behavior
F8 F8	fn + 🗗 F8	Switch to external display
prt sc F10	fn + prt sc	Print screen
home F11	fn + home	Home
end F12	fn + end F12	End

The **fn** key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 23. List of keyboard shortcuts

Function key	Behavior
fn + B	Pause/Break
fn + S	Toggle scroll lock
fn + R	System request
fn + ctrl	Open application menu
fn + esc	Toggle fn -key lock

Getting help and contacting Dell

Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 24. Self-help resources

Self-help resources	Resource location	
Information about Dell products and services	www.dell.com	
My Dell	Dell	
Tips		
Contact Support	In Windows search, type Contact Support, and press Enter.	
Online help for operating system	www.dell.com/support/windows	
	www.dell.com/support/linux	
Access top solutions, diagnostics, drivers and downloads, and learn more about your computer through videos, manuals and documents.	Your Dell computer is uniquely identified by a Service Tag or Express Service Code. To view relevant support resources for your Dell computer, enter the Service Tag or Express Service Code at www.dell.com/support. For more information on how to find the Service Tag for your computer, see Locate the Service Tag for your Dell Laptop.	
Dell knowledge base articles for a variety of computer concerns	 Go to www.dell.com/support. On the menu bar at the top of the Support page, select Support > Knowledge Base. In the Search field on the Knowledge Base page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles. 	

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

- (i) NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.
- NOTE: If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.