# ThinkPad T14 Gen 1 (Intel) 20S1S58300

#### Product

ThinkPad T14 Gen 1 (Intel)

#### Region

LA

## Country/Region

Central America

## Machine Type

20S1

#### TopSeller

No

#### Processor

Intel Core i7-10510U (4C / 8T, 1.8 / 4.9GHz, 8MB)

#### Graphics

Integrated Intel UHD Graphics

#### Chipset

Intel SoC Platform

#### Memory

16GB Soldered DDR4-2666

## Storage

512GB SSD M.2 2280 PCIe NVMe Opal2

#### Display

14" FHD (1920x1080) IPS 250nits Anti-glare

#### Touchscreen

None

#### Card Reader

MicroSD Reader

#### Ethernet

100/1000M

## Optical

None

#### WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.1

#### WWAN

None

## SIM Card

None

### Smart Card Reader

None

## Monitor Cable

None

#### **Bundled Accessories**

None

#### Camera

720p with ThinkShutter

#### Microphone

2x, Array

## Case Color

Black

#### Case Material

PPS / 50% GF (Top), PC / ABS / Talc15 + Magnesium Alloy (Keyboard Cover), PA / 50% GF (Bottom)

#### Surface Treatment

Not Anti-microbial

#### Keyboard

Non-backlit, Spanish (LA)

#### Fingerprint Reader

Touch Style, Match-on-Chip

#### NFC

None

## Security Chip

Discrete TPM 2.0

#### Battery

Integrated 50Wh

## Power Adapter

65W USB-C

## System Management

None

#### Operating System

Windows 10 Pro 64. Spanish

#### **Bundled Software**

None

## Base Warranty

3-year, Onsite

#### **Bundled Service**

None

#### EAN/UPC/JAN

195348707947

#### End of Support

2026-12-05

#### Announce Date

2020-07-14

## Notes:

**Battery life** is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

## L

## WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



## https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.





# ThinkPad T14 Gen 1 (Intel) Platform Specifications

Processor	10th Generation Intel	® Core	™ i5 / i7 Pı	rocesso	or					Dimensions	WxDxH: 12.95" x 8.94" x 0.70"; 329mm x 227mm x 17.9mm						
	Processor # of #	-		Max Turb		ne Memory Types		Processor		Weight	Models	HD	FHD	+	FHD Low Power		Privacy Guard
	Number Cores Three			Frequenc	icy		y types	Graph	hics	Ч	Weight	3.37 lb /	3.41 lb /	3.41 lb /	3.28 lb / 1.49 kg	3.28 lb /	3.56 lb /
	i5-10210U	-		4.2 GHz		_	Ţ			0000 5515	Dis.	1.53 kg	1.55 kg	1.55 kg		1.49 kg	1.61 kg
	i5-10310U 4 8	× —		4.4 GHz		— DDR4.	4-2666	Intel U		Case color Case material	Black Top cove	r. D	PPS / 50% C	ЭF			
	i7-10510U	1		4.9 GHz				Graphics		Case material					agnesium alloy		
	i7-10610U			4.9 GHz	lz 8MB	Z   ØMB		<u> </u>		4	Bottom:	P/	PA / 50% GF	F	,		
Graphics Intel UHD Graphics in processor only or Intel UHD Graphics in processor and NVIDIA® GeForce® MX330, 2GB GDDR5 memory;								_		with optional ISO 22196 compliant anti-microbial surface treatment (not including keyboard, display, and display bezel)  ler Optional: Smart card reader							
	supports up to 3 inde	pender	ent displays	s via na	ative displ	lay and	two exte	rnal mo	onitors;	Media reader		<i>l:</i> Smart ca card read					
	supports external monitors via HDMI (up to 4096x2160@24Hz),									Ports	Two USB	B 3.2 Gen	1 (one Alwa				
Ohio	USB-C (up to 4096x2304@60Hz) or Thunderbolt (up to 4096x2304@60Hz)								'	-	one USB	3.2 Type-	-C Gen 1 (v	with the fund	ction of Power De	elivery and	1 DisplayPor
Chipset Memory	Intel SoC (System on Chip) platform 40GB or 48GB max / 2666MHz DDR4, dual-channel capable,										one USE	th Ethern	-U Gen 2 /	nano-SIM	It 3 (with the func card slot (WWAN	J modele)	and DP),
Memory	40GB or 48GB max / 8GB or 16GB memor							M socke	et		headphoi	oné / micro	ophòne com	nbo iack. op	otional smart card	d reader.	
	* Installed memory is ac										microSD	card read	der, side do	ocking conne	ector, security ke	eyhole	
Display					Bright		Contrast		Viewing	Monitor cable	* Dependii	ling on many	y factors, actu	tual data trans	sfer speed may be	lower than t	heoretical spe
9	Size Resolution	Туре		Touch	ness	Ratio	Ratio	Gamut	Angle				) VGA Monit to VGA Adai	itor Adapter apter			
	14.0" HD (1366x768)	_	Anti-glare		220 nits	16:9	400:1	45%	90°	](")	<ul> <li>Lenovo</li> </ul>		to DisplayPo				
	14.0" FHD (1920x1080)	IPS	Anti-glare		250 nits	16:9	700:1	45%	170°	Bundled Accy	None						
	14.0" FHD (1920x1080)		Anti-glare	Multi- touch	300 nits	16:9	700:1	45%	170°	<b>」</b> ``	• IR came	/)• HD720p camera with ThinkShutter camera privacy, fixed focus • IR camera and HD720p camera with ThinkShutter camera privacy, fixed focus HD Audio, Realtek® ALC3287 codec / Dolby® Audio speaker system, 2W x 2 / optional dual array far-field microphone, headphone / microphone combo jack 6-row, spill-resistant, multimedia Fn keys with Unified Communications controls, optional LED backlight					
	14.0" FHD (1920x1080) Low Power		Anti-glare	-	400 nits	16:9	800:1	72%	170°	Audio support	HD Audio						
	FHD (1920x1080) 14.0" ThinkPad Privacy Guard		Anti-glare	Multi- touch	500 nits	16:9	1000:1	72%	178°	Keyboard	6-row, sp optional L						
	UHD (3840x2160)	1	1	†	†	+	·	1	<del>†                                     </del>	UltraNav™		TrackPoint® pointing device and buttonless Mylar surface multi-touch to					•
	14.0" HDR400, Dolby Vision™	IPS	,	_	500 nits	16:9	1500:1	100%	178°	Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole  Firmware TPM 2.0 integrated in chipset						
	On-cell touch, suppor	finger gest	ure						System Mat (and)	Discrete TPM 2.0 TCG Certified  pt) Intel vPro Technology							
Storage	• M.2 2242 SSD / PC									System Mgt (opt) Fingerprint reader				on chin fina	erprint reader on	the nalm	rest
	<ul> <li>M.2 2280 SSD / PC</li> </ul>	Cle NVI	Me, PCIe 3	3.0 x 4		_				NFC (optional)		eld Commu			, . <sub> </sub>   Gudol Ol	puiil	
	<ul> <li>Intel Optane™ Mem M.2 2280, PCle NV</li> </ul>			ıııa Stat	ie Storag	ıe,				Battery	Integrate	Integrated Li-Polymer 50Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter					
Optical	None	J.(	J A 4								supports						pter
Ethernet	Non-vPro model: Intel Ethernet Connection I219-V (Jacksonville)									Max battery life	MobileMa	1ark® 2014:	<i>1:</i> 16.5 hr	•			
			rnet Conne										11.45 hr significantly w		e configurations, set	ttinas. usaa	, & other fact
WLAN +	Intel Wi-Fi 6 AX201, V	Wi-Fi 2	2x2 802.11a	ax + Blu	luetooth 5	5.1	,			AC adapter	<ul> <li>45W U</li> </ul>	JSB-C AC	adapter	uwait	garanorio, st	, usay	, Janor iauli
Bluetooth™	* Intel WiFi 6 full feature	s might	t be limited by	by countr	try level res	strictions					<ul> <li>65W U</li> </ul>	JSB-C AC	adapter				
	* BT5.1 is supported on			ın 2004	or above (	ilmited to	O B [ 5.0 O	n earlier	r version,	<u></u>			n AC adapte		a		
wwwAN (optional)	<ul><li>Wireless WAN upgr</li><li>Integrated Mobile B</li></ul>	radable	and 4G LT	Ξ_Δ Γ:	hocom!	350.01	Moss	'n		Operating system	<u>·</u>			e 64 or Win	dows 10 Pro 64		
	<ul> <li>Integrated Mobile B</li> </ul>	Broadba	and 4G LTE	E-A, Fil	ibocom L8	_860-GL,	., MIMO 2	nu ?x2. M ≤	2 card	Limited warranty				tom I	ronoir = - · ·		
OIM -	* For non-WWAN model							, IVI.	_ Jaiu	(optional)					repair service		
SIM card (opt)	Gemalto eSIM										<ul> <li>1-year limited onsite service</li> <li>1-year + 2-year depot repair service</li> <li>1-year + 2-year onsite repair service</li> </ul>						
											<ul> <li>3-year/1</li> </ul>	1-yr battery	ry depoť rep	pair service			
										NATI O				nsite service	: <del>U</del>		
										Mil-Spec test			ilitary testing		_		
										Environment	EPEAT™ Gold; ENERGY STAR® 8.0; RoHS-compliant						

