

USB 3.0 to HDMI Adapter - 1080p (1900x1200) - Slim/Compact USB Type-A to HDMI Display Adapter Converter for Monitor - External Video & Graphics Card - Black - Windows Only

Product ID: USB32HDES



The USB32HDES Slim USB 3.0 to HDMI Adapter turns a USB 3.0 port into an HDMI output with 1920x1200/1080p video support. The adapter minimizes clutter with a slim design that seamlessly blends with your video cable - an ideal space-saving solution for multi-monitor applications on Ultrabook, laptop, or desktop computers.

Functioning as an external graphics card, this USB to HDMI adapter provides a convenient way to add multi-monitor capability to a USB 3.0-enabled desktop or laptop computer (optimal performance from USB 3.0, backward compatible with USB 2.0).

To save space while travelling, this ultra-portable USB to HDMI adapter features a lightweight, small footprint design that fits easily in a laptop carrying bag.

Leveraging the high-bandwidth (5 Gbps) SuperSpeed USB 3.0 interface, the adapter delivers smooth, high-definition content to your HDMI display/projector. The adapter can be used to mirror your primary desktop, showing the same image on each display, or to extend your desktop to double your workspace and increase your productivity.

The USB32HDES is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Recommended System Requirements:

CPU: Quad Core 2.4GHz or Higher (i5 recommended)

RAM: 4GB or higher

USB 3.0 Port (Backwards compatible with USB 2.0)

Certifications, Reports and Compatibility



Applications

- Add a secondary HDMI display with full HD capability
- · View large or multiple spreadsheets across several displays
- Use the adapter to connect your PC to your HDMI-equipped projector or display for viewing family pictures and movies
- · Add multi-monitor capability to a single computer, to create engaging multimedia presentations
- Great for researchers and writers offering the ability to have reference material on one display and a working document copy on the other
- Run multiple applications on different screens check your email on one display and search the web on the other

Features

- PERFORMANCE: USB 3.0 to HDMI adapter lets you connect your laptop or desktop computer to an HDMI monitor or projector using a single USB Type-A port 1920x1200 (1080p) Video 2ch audio (through HDMI) 2.4in (6cm) cable length
- INCREASE PRODUCTIVITY: Supports a total of 2 displays in extended mode (incl. laptop screen) at your workstation or working remotely from home USB bus-powered w/ no extra power supply required; Ultra slim design and highly portable
- WINDOWS ONLY: This USB-A to HDMI monitor adapter is only compatible with Windows operating systems and does not support macOS, Chrome or Linux External USB 3.0 (USB 3.1 Gen 1) Graphics Card Adapter for dual/multiple monitors
- EASY SETUP: This USB to HDMI converter with plug & play setup on Windows; Auto-driver install Slim design ensures an organized workspace, with a seamless connection to your HDMI cable Add multiple HDMI screens with additional available USB-A ports
- STARTECH.COM ADVANTAGE: IT professionals choice for over 30 years; This USB Type-A to HDMI adapter dongle is backed for 3-years by StarTech.com, including free 24/5 North America based multi-lingual tech support

Hardware		
	Warranty	2 Years
	AV Input	USB 3.0
	AV Output	НДМІ
	Audio	Yes
	USB Pass-Through	No
	Memory	16MB



	Chipset ID	Trigger - T5-302	
Performance			
	Maximum Digital Resolutions	1920x1200/1080p	
	Supported Resolutions	Widescreen(16/32 bit):	
		1920x1200, 1920x1080, 1680x1050, 1600x900, 1440x900, 1360x768, 1280x800, 1280x768, 1280x720	
		Standard(16/32 bit):	
		1600x1200, 1400x1050, 1280x1024, 1280x960, 1152x864, 1024x768, 800x600	
	Wide Screen Supported	Yes	
	Audio Specifications	2-Channel Stereo (48Khz)	
	General Specifications	This USB video adapter uses a Trigger family chipset. If you're connecting this device to a computer along with additional USB video adapters or docking stations, please avoid using devices with a DisplayLink or Fresco family chipset.	
Connector(s)			
	Connector A	USB Type-A (9 pin) USB 3.0 (5 Gbps)	
	Connector B	HDMI (19 pin)	
Software			
	OS Compatibility	Windows 10 (32/64)	
		Windows 8 / 8.1 (32/64)	
		Windows 7(32/64)	
		Windows Vista (32/64)	
		Windows XP (32/64)	
	Microsoft WHQL Certified	Yes	
Special Notes / Requirements			
	System and Cable	System Processor: Quad Core 2.4GHz (i5 recommended)	
	Requirements	System Memory: 4GB	
	Note	This USB video adapter uses a Trigger family chipset. If you're connecting this device to a computer along with additional USB	



video adapters or docking stations, avoid using devices with different family chipsets, such as DisplayLink or Fresco Logic

Connect a maximum of five USB video adapters on a single computer. Support for multiple adapters will vary depending upon your system resources

This USB video adapter is not intended for graphical intensive applications, such as gaming

_				
P	^	۱A	ıc	۱r

Power Source USB-Powered

Environmental

Operating Temperature 0C to 50C (32F to 122F)

Storage Temperature -10C to 75C (14F to 167F)

Humidity < 85% non-condensing

Physical Characteristics

Color Black

Material Plastic

Cable Length 2.4 in [62 mm]

Product Length 7.5 in [19 cm]

Product Width 1.0 in [25 mm]

Product Height 0.5 in [12 mm]

Weight of Product 0.9 oz [25 g]

Packaging Information

Package Length 6.9 in [17.5 cm]

Package Width 5.8 in [14.8 cm]

Package Height 1.3 in [32 mm]

Shipping (Package)

Weight

5.1 oz [144 g]

What's in the Box

Included in Package

Slim USB 3.0 Video Adapter



_		_	_
Г	river		Г

instruction manual

*Product appearance and specifications are subject to change without notice.